

LAMPTRONIX 

2018-2019

Lighting project

inspiration lighting collection

LAMPTRONIX 



lamptronix.net



UFO

LED High Bay Light

LED BUILT-IN 250W MAX 220V AC IP65
 PHILIPS SMD3030 60D - 80/100/150/200/250W - 5700K
 HIGH-PURUTY ALUMINIUM REFLECTOR, ALUMINIUM ALLOY
 BLACK, POWDER COATING GEAR
 DIA 420mm. x H 170mm. (FOR 80-100W) WEIGHT 5.2KG.
 DIA 520mm. x H 200mm. (FOR 150-250W) WEIGHT 10.5KG.
 FIT FOR 6.00M. ABOVE CEILING



A

ARCHITECTURAL LIGHTING

DOWNLIGHT A1
 FLUORESCENT LAMP A16
 TRACK LIGHT A22

B

LED RIBBON LIGHTING

LED RIBBON B1
 LED ACCESSORIES B2
 LED ALUMINIUM PROFILES B3

C

HIGH BAY LIGHTING

LED HIGH BAY LIGHT C1

ECO-HIGHER


LED High Bay Light

LED BUILT-IN 200W MAX 220V AC IP65
SAMSUNG SMD2835 - 100W / 120W / 160W / 200W - 6500K
HIGH-PURITY ALUMINIUM REFLECTOR, ALUMINIUM ALLOY
DIA 6MM. HEAT PIPE, BLACK, POWDER COATING GEAR
DIA 505.4MM. X H 439.5MM.
FIT FOR 6.00M. ABOVE CEILING



A

ARCHITECTURAL LIGHTING





AURA-M1

MR16 GU10 x1
DIA 90MM. x H 32MM.
GIMBAL ADJUSTABLE



AURA-M2

MR16 GU10 x1
DIA 100MM. x H 47MM.
GIMBAL ADJUSTABLE
(ADDITIONAL AVAILABLE IN
BLACK-GOLD & WHITE-GOLD)

AURA

Recessed Downlight

HALOGEN OR LED MODULE MR16 GU10 50/15W MAX 12V DC
DIE-CAST ALUMINIUM TRIM-METAL BODY (AVAILABLE IN BLACK & WHITE)

C

HIGH BAY LIGHTING



AURA-M3

MR16 GU10 x1
DIA 105MM. x H 37MM.
GIMBAL ADJUSTABLE



AURA-M4

MR16 GU10 x1
DIA 90MM. x H 60MM.
GIMBAL ADJUSTABLE
(ADDITIONAL AVAILABLE IN
BLACK-GOLD & WHITE-GOLD
& BLACKOUT)





AURA-M5

MR16 GU10 x1
DIA 90MM. x H 22.5MM.
WITH GLASS ENCLOSURE
NO ADJUSTABLE



AURA-M6

MR16 GU10 x1
DIA 100MM. x H 47MM.
NO ADJUSTABLE











AURA-M7

MR16 GU10 x1
DIA 78MM. x H 36MM.
NO ADJUSTABLE
(ADDITIONAL AVAILABLE IN
WHITE-GOLD & BLACKOUT)



LED ALUMINIUM PROFILES

ALUMINIUM PROFILES MOUNTED FOR LED RIBBON



AURA-M8

MR16 GU10 x1
DIA 89MM. x H 22MM.
NO ADJUSTABLE

AURA-M9











MR16 GU10 x1
DIA 110MM. x H 22MM.
NO ADJUSTABLE



LED ACCESSORIES

LED RIBBON POWER SUPPLY & SWITCHING
INPUT 220V AC TO OUTPUT 12V DC



MODEL		DIMENSION (mm.)	OUTPUT (W/V)	EFFICIENCY LOAD OUTPUT (80%)	MAX LOAD (m.) for LED Ribbon	
					Ribbon 7.2W	Ribbon 14.4W
 LRS-50-12		82W 99L 30H	50W 12V DC	40W	5.50 m.	2.75 m.
 LRS-75-12		97W 99L 30H	75W 12V DC	60W	8.30 m.	4.15 m.
 LRS-150-12		97W 159L 30H	150W 12V DC	120W	16.60 m.	8.30 m.
 LRS-200-12		115W 215L 30H	200W 12V DC	160W	22.20 m.	11.10 m.
 LRS-350-12		115W 215L 30H	350W 12V DC	280W	38.8 m.	19.40 m.

AURA-S1

MR16 GU10 x1
W 100MM. x L 115MM.
GIMBAL ADJUSTABLE



AURA-S2

MR16 GU10 x2
W 185MM. x L 115MM.
GIMBAL ADJUSTABLE



AURA-S3

MR16 GU10 x3
W 270MM. x L 115MM.
GIMBAL ADJUSTABLE

AURA-S4

MR16 GU10 x1
W 100MM. x L 100MM. x H 110MM.
GIMBAL ADJUSTABLE



AURA-S5

MR16 GU10 x1
W 78MM. x L 78MM. x H 90MM.
GIMBAL ADJUSTABLE



LED RIBBON

LED RIBBON 12V DC IP RATING 67 FOR INDOOR SURFACE MOUNT
MINIMUM CUT 5CM FOR 14.4W AND 10CM FOR 7.2W AND 4.8W
WITH CE AND RoHS STANDARD, POWER SUPPLY NOT INCLUDED

LED RIBBON 4.8W

LED RIBBON 4.8W-WW
LED RIBBON 4.8W-CW
LED RIBBON 4.8W-RED
LED RIBBON 4.8W-GREEN
LED RIBBON 4.8W-BLUE

LED RIBBON 7.2W

LED RIBBON 7.2W-3000K
LED RIBBON 7.2W-4000K
LED RIBBON 7.2W-RED
LED RIBBON 7.2W-GREEN
LED RIBBON 7.2W-BLUE
LED RIBBON 7.2W-RGB

LED RIBBON 14.4W


LED RIBBON 14.4W-ELITE WW
LED RIBBON 14.4W-ELITE CW
LED RIBBON 14.4W-3000K
LED RIBBON 14.4W-3500K
LED RIBBON 14.4W-4000K
LED RIBBON 14.4W-RED
LED RIBBON 14.4W-GREEN
LED RIBBON 14.4W-BLUE
LED RIBBON 14.4W-PURPLE
LED RIBBON 14.4W-PINK
LED RIBBON 14.4W-RGB
LED RIBBON 14.4W-RGBWW
LED RIBBON 14.4W-WW/CW





B

LED RIBBON LIGHTING



COB MODULE

LED COB MODULE FOR AURA RECESSED DOWNLIGHT
DIA 50MM. x H 78.5MM.
AVAILABLE ANGLE 10° / 20° / 30° / 38° / 40° / 55°
COB MODULE POWER 9-15W 3000-5000K



AURA-NANO

BUILT-IN COB LED MODULE 3W x1
WARM WHITE 3000K
DIA 55MM. x H 99MM.
NO ADJUSTABLE



AURA-PICO

BUILT-IN COB LED MODULE 3W x1
WARM WHITE 3000K
DIA 51MM. x H 18MM.
GIMBAL ADJUSTABLE





CELIO

Adjustable Ceiling Spot Light

BUILT-IN COB LED 18W MAX 220V AC
WHITE POWDER COATING ALUMINIUM



CELIO-CURVE

BUILT-IN COB LED x1
DIA 125MM. x H 127MM.



CELIO-BOX



BUILT-IN COB LED x1
W 100MM. x L 100MM. x H 96MM.



BRUNO CLUB-E27


Recessed Downlight

E27 X1
WHITE POWDER COAT ALUMINIUM FLAME
DIA 136MM. x H 138MM.
NO ADJUSTABLE




TEVO-TRACK SINGLE PHASE

1-3M. EXTRUDED ALUMINIUM 15A 220V AC
W 33.8MM. x H 19.2MM.
(AVAILABLE IN BLACK, WHITE & GREY)



TEVO-TRACK ACCESSORIES

- 1 TEVO-TRACK LINE END
- 2 TEVO-TRACK END CAP
- 3 TEVO-TRACK I JOINT
- 4 TEVO-TRACK T JOINT
- 5 TEVO-TRACK FLEX JOINT




BRUNO BOX-E27

Recessed Downlight

E27 X1
BLACK/WHITE POWDER COAT ALUMINIUM FRAME
WITH WHITE MIRROR ALUMINIUM REFLECTOR
NO ADJUSTABLE


BRUNO BOX-E27

E27 x1
W 130MM. x L 130MM. X H 163MM.



BRUNO BOX 2-E27

E27 x2
W 130MM. x L 243MM. X H 163MM.



BRUNO BOX 3-E27

E27 x3
W 130MM. x L 335MM. X H 163MM.





CLONA-1

BUILT-IN COB x1
W 185MM. x L 185MM. x H 140MM.



CLONA-2

BUILT-IN COB x2
W 185MM. x L 340MM. x H 140MM.




CLONA-3

BUILT-IN COB x3
W 185MM. x L 510MM. x H 140MM.

CLONA

Recessed Adjustable Downlight

BUILT-IN LED MODULE 15-32W MAX DRIVER INCLUDED 220V AC
POWDER COAT ALUMINIUM FLAME METAL BODY
FIT FOR 4.00M. ABOVE CEILING
(AVAILABLE IN BLACK & WHITE)



TEVO-STICK

AR111/LED COB MODULE 20-32W MAX. x1
DIA 117MM. x H 135MM.
(AVAILABLE ONLY IN WHITE)



TEVO-FLORA

E27 PAR30 x1
W 115mm. x L 160mm. x H 200mm.
(AVAILABLE IN BLACK & WHITE)

ORCA

Adjustable Recessed Downlight

HALOGEN OR LED MODULE GU10 / MR16 IP20 12V DCx1
ALUMINIUM TRIM METAL BODY
FIT FOR 3,00M. BELOW CEILING
(AVAILABLE IN BLACK & WHITE)

ORCA

GU10 x1
DIA 108MM. x H 62MM.



TEVO-SUMO

LED COB MODULE 20-38W MAX. x1
TEVO-SUMO S : DIA 83MM. x H 188MM.
TEVO-SUMO L : DIA 98MM. x H 210MM.
(AVAILABLE IN BLACK & WHITE)

ORCA-MINI

MR16 GU5.3 x1
DIA 90MM. x H 25MM.



CROSE-MR16

Recessed Downlight



HALOGEN OR LED MODULE MR16 IP65 12V DCx1
DIA 87MM. x H 38MM. NO ADJUSTABLE
ALUMINIUM TRIM METAL BODY



DOME


Recessed Downlight

COB LED BUILT-IN MODULE 12V DC
WHITE POWDER COAT DIE-CAST ALUMINIUM



DOME-S

COB LED BUILT-IN x1
DIA 165MM. x H 75MM.
NO ADJUSTABLE



DOME-L

COB LED BUILT-IN x1
DIA 216MM. x H 90MM.
NO ADJUSTABLE



TEVO


Adjustable Track Light

LED COB MODULE 15W MAX 220V AC
DIE-CAST ALUMINIUM HOUSING WITH PLASTIC TRACK MOUNT
(AVAILABLE IN BLACK & WHITE)



TEVO-M SPOT

LED COB MODULE 15W MAX x1
DIA 85MM. x H 125MM.



TEVO-GALLERY

GU10 PAR16 x1
DIA 60MM. x H 93MM.
(ADDITIONAL AVAILABLE IN SILVER)



TEVO-GALLERY FIT

GU10 PAR16 x1
DIA 53MM. x L 100MM. x H 170MM.
(ADDITIONAL AVAILABLE IN SILVER)

CLONOS-BOX

Recessed Downlight

COB LED MODULE BUILT-IN 32W MAX 12V DC
POWDER COAT ALUMINIUM HOOD METAL BODY
FIT FOR 3.00M. BELOW CEILING
(AVAILABLE IN BLACK & WHITE)

CLONOS-BOX1

COB LED BUILT-IN x1
W 195MM. x L 195MM. x H 165MM.
NO ADJUSTABLE



CLONOS-BOX2

COB LED BUILT-IN x2
W 195MM. x L 350MM. x H 165MM.
NO ADJUSTABLE



MORTA-BOX

Surfaced Downlight

COB LED MODULE 9-15W MAX 12V DC
POWDER COAT ALUMINIUM HOUSING STEEL BODY
FIT FOR 3.00M. BELOW CEILING
(AVAILABLE IN BLACK & WHITE)

MORTA BOX - COB

COB LED MODULE x1
W 120MM. x L 120MM. x H 99MM.



MORTA BOX - E27

E27 x1
MORTA-BOX-E27-S : DIA 120MM. X H 160MM.
MORTA-BOX-E27-M : DIA 138MM. X H 190MM.
MORTA-BOX-E27-L : DIA 170MM. X H 230MM.



MORTA BOX - MR16 - ADJ

MR16 GU₁₀₀ x1
W 102MM. X L102MM. X H 115MM.

FLURA-SURFACE SLIM

T5 G5 T8 G13 OR LED PCB BUILT-IN x1-2
(AVAILABLE IN BLACK & WHITE)



Model	Watts	WxLxH(mm)
FLURA- SURFACE SLIM 118 ADP	1x18	75x620x120
FLURA- SURFACE SLIM 136 ADP	1x36	75x1240x120
FLURA- SURFACE SLIM 218 ADP	2x18	75x650x120
FLURA- SURFACE SLIM 236 ADP	2x36	75x1240x120
FLURA- SURFACE SLIM 114 ADP	1x14	75x590x120
FLURA- SURFACE SLIM 121 ADP	1x21	75x875x120
FLURA- SURFACE SLIM 128 ADP	1x28	75x1190x120
FLURA- SURFACE SLIM 135 ADP	1x35	75x1475x120
FLURA- SURFACE SLIM 214 ADP	2x14	75x590x120
FLURA- SURFACE SLIM 221 ADP	2x21	75x875x120
FLURA- SURFACE SLIM 228 ADP	2x28	75x1190x120
FLURA- SURFACE SLIM 235 ADP	2x35	75x1475x120
FLURA- SURFACE SLIM EXTRA1	2x28+MR16	75x1800x120
FLURA- SURFACE SLIM EXTRA2	LED REQUEST	75x1190x120




AORTA-MINI-ROUND

E27 x1
DIA 132MM. x H 150MM.
NO ADJUSTABLE



AORTA-ROUND

COB LED BUILT-IN x1
AORTA-RS : DIA 130MM. x H 154MM.
AORTA-RL : DIA 170MM. x H 185MM.
NO ADJUSTABLE



AORTA-BOX

COB LED BUILT-IN x1
AORTA-BS : W/L 130MM. x H 135MM.
AORTA-BL : W/L 162MM. x H 165MM.
NO ADJUSTABLE

AORTA

Surfaced Downlight

COB LED MODULE 9-15W MAX 12V DC
POWDER COAT ALUMINIUM EXTRUDE BODY
FIT FOR 3.00M. BELOW CEILING
(AVAILABLE IN BLACK & WHITE)

FLAT

LED Panel Recessed Downlight

BUILT-IN LED PANEL 12V DC INCLUDED DRIVER
WHITE POWDER COATING ALUMINIUM TRIM METAL BODY
FIT FOR 3.00M. BELOW CEILING
(AVAILABLE IN COOLWHITE & WARMWHITE)



FLAT-ROUND

BUILT-IN LED PANEL
6W / 9W / 12W



FLAT-BOX

BUILT-IN LED PANEL
6W / 9W / 12W





FLURA-SLIM

T5 G5 T8 G13 OR LED PCB BUILT-IN x1-2



FLOAT-ROUND

BUILT-IN LED PANEL
6W / 9W / 12W



FLOAT-BOX

BUILT-IN LED PANEL
6W / 9W / 12W

FLOAT

LED Panel Recessed Downlight

BUILT-IN LED PANEL 12V DC INCLUDED DRIVER
WHITE POWDER COATING ALUMINIUM TRIM METAL BODY
FIT FOR 3.00M. BELOW CEILING

Model	Watts	WxLxH(mm)	Cut Out
FLURA-SLIM 118 ADP	1x18	100x630x120	85x620
FLURA-SLIM 136 ADP	1x36	100x1240x120	85x1230
FLURA-SLIM 218 ADP	2x18	100x630x120	85x620
FLURA-SLIM 236 ADP	2x36	100x1240x120	85x1230
FLURA-SLIM 114 ADP	1x14	100x600x120	85x585
FLURA-SLIM 121 ADP	1x21	100x875x120	85x860
FLURA-SLIM 128 ADP	1x28	100x1200x120	85x1185
FLURA-SLIM 135 ADP	1x35	100x1475x120	85x1460
FLURA-SLIM 214 ADP	2x14	100x600x120	85x585
FLURA-SLIM 221 ADP	2x21	75x875x120	85x860
FLURA-SLIM 228 ADP	2x28	100x1200x120	85x1185
FLURA-SLIM 235 ADP	2x35	100x1475x120	85x1460
FLURA-SLIM EXTRA1	2x28+MR16	100x1800x120	85x1785
FLURA-SLIM EXTRA2	LED REQUEST	100x1200x120	85x1185

FLURA

Recessed Fluorescent Lamp

FLUORESCENT T5 G5 T8 G13 28W MAX 220V AC
EXTRUDED ALUMINIUM BODY (AVAILABLE IN BLACK & WHITE)
FIT FOR 3.00M. - 4.00M. BELOW CEILING



FLURA-COVER

T5 G5 T8 G13 x1-3

TL5/TL8		
MODEL	W	WxLxH(mm)
FLURA-COVER-118	1x18	293x633x70
FLURA-COVER-136	1x36	293x1241x70
FLURA-COVER-218	2x18	293x633x70
FLURA-COVER-236	2x36	293x1241x70
FLURA-COVER-218XL	2x18	593x633x70
FLURA-COVER-236XL	2x36	593x1241x70
FLURA-COVER-318	3x18	593x633x70
FLURA-COVER-336	3x36	593x1241x70
FLURA-COVER-418	4x18	593x633x70
FLURA-COVER-436	4x36	593x1241x70

FLURA-FIT

T5 G5 (AVAILABLE IN 9W AND 18W)



FLURA-LOUVER

T5 G5 T8 G13 x1-3

TL8		TL5		
MODEL	W	MODEL	W	WxLxH(mm)
FLURA-LOUVER118-2	1x18	FLURA-LOUVER114-2	1x14	175x595x65
FLURA-LOUVER136-2	1x36	FLURA-LOUVER128-2	1x28	175x1195x65
FLURA-LOUVER118-3	1x18	FLURA-LOUVER114-3	1x14	295x595x65
FLURA-LOUVER136-3	1x36	FLURA-LOUVER128-3	1x28	295x1195x65
FLURA-LOUVER218-3	2x18	FLURA-LOUVER214-3	2x14	295x595x65
FLURA-LOUVER236-3	2x36	FLURA-LOUVER228-3	2x28	295x1195x65
FLURA-LOUVER218-6	2x18	FLURA-LOUVER214-6	2x14	595x595x65
FLURA-LOUVER236-6	2x36	FLURA-LOUVER228-6	2x28	595x1195x65
FLURA-LOUVER318	3x18	FLURA-LOUVER314	3x14	595x595x65
FLURA-LOUVER336	3x36	FLURA-LOUVER328	3x28	595x1195x65